

Harvest estimates:				Guidelines:	%
Bonneville	(as of April 30)	387	700	55	
The Dalles	(as of April 30)	163	400	41	
John Day	(as of April 30)	74	165	45	

Data from John Day Reservoir for last week is incomplete.

WDFW Mid-Columbia River mainstem sport sampling summary ¹

May 2 - 8, 2005

The following table is a summary of numbers of fish observed by samplers.
Samplers generally observe from 10% - 25% of total harvest.

Sturgeon

Reservoir	Bank Anglers	Subs	Leg Rel	Leg Kept	Over-size	2005 Cum Leg Kept	Boats	Boat Anglers	Subs	Leg Rel	Leg Kept	Over-size	2005 Cum Leg Kept	Combined Leg Kept
Bonneville Pool	51	44		2	2	18	8	17	24			1	46	64
The Dalles Pool	58	21			1	3	6	14	12		1		38	41
John Day Pool	17	4				2	19	39	45			1	20	22
Total	126	69		2	3	23	33	70	81		1	2	104	127

Salmonids

	Bank Anglers	Wild Kept	Wild Rel	Hat Kept	Hat Rel	2005 Cum Leg Kept	Boats	Boat Anglers	Wild Kept	Wild Rel	Hat Kept	Hat Rel	2005 Cum Leg Kept	
Bonneville Pool											1		6	6
Chinook											1		4	4
Coho														
Steelhead													2	2
The Dalles Pool						12							7	19
Chinook						8								8
Coho														
Steelhead						4							7	11
John Day Pool						16	1	1					4	20
Chinook														
Coho														
Steelhead						16							4	20

Walleye	Bank Anglers	Rel	Leg Kept	2005 Cum Leg Kept	Boats	Boat Anglers	Rel	Leg Kept	2005 Cum Leg Kept
Bonneville Pool									
The Dalles Pool				11	2	4			303
John Day Pool					18	37	21	13	279

Bass	Bank Anglers	Rel	Leg Kept	2005 Cum Leg Kept	Boats	Boat Anglers	Rel	Leg Kept	2005 Cum Leg Kept
Bonneville Pool	2	2		11	3	6	50		23
The Dalles Pool				16	1	3	12	12	47
John Day Pool	5	9	6	7	5	10	41	18	63

¹ Quantities include both Washington and Oregon samples.

		Sturgeon	Salmonids	Walleye	Bass
Bonneville	Effort (% of 6-week average)	106%	none	none	70%
	Catch Per Unit Effort	1.07	none	none	6.50
	Harvest Per Unit Effort	0.03	none	none	none
The Dalles	Effort (% of 6-week average)	111%	none	12%	38%
	Catch Per Unit Effort	0.49	none	none	8.00
	Harvest Per Unit Effort	0.01	none	none	4.00
John Day	Effort (% of 6-week average)	58%	24%	109%	132%
	Catch Per Unit Effort	0.89	none	0.92	4.93
	Harvest Per Unit Effort	none	none	0.35	1.60

Washington lower Columbia River tributaries salmonid sport sampling summaries - May 2-8.

Area	Bank	Chinook		Steelhead		Other		Boat	Chinook		Steelhead		Other
	Anglers	Adults	Jacks	Kept	Rel.			Anglers	Adults	Jacks	Kept	Rel.	
Cowlitz River	78	1	0	0	0	0		74	3	2	0	1	0
Kalama River	82	7	0	1	1	0		72	27 1/	1	1	1	0
Lewis River	93	16 2/	2	2	0	0		114	31 2/	2	2	0	0
Wind River													
(mouth)	24	2	0	0	0	0		201	34	1	0	0	0
(gorge)	10	2	0	0	0	0							
Drano Lake	63	10	0	0	0	0		261	83	0	0	0	0
White Salmon River	31	3	0	1	0	0							
Klickitat River	44	10	0	0	0	0							

1/ Does not include 1 adult chinook released by a Kalama River boat angler.

2/ Does not include 3 adult chinook released by a Lewis River bank angler and 7 adult chinook released by boat anglers.

WDFW sport sampling summaries for Southwest Washington Lakes -- May 2-8.

Water	Bank Anglers	Catch		Boat Anglers	Catch
No report.					